

Using types to rule out bugs: *Python* perspective

Dominic Orchard



Institute of
Computing for
Climate Science

University of
Kent




UNIVERSITY OF
CAMBRIDGE



Institute of
Computing for
Climate Science

<https://iccs.cam.ac.uk>





Institute of Computing for Climate Science (ICCS)

@instituteofcomputingforcli3982 · 255 subscribers · 56 videos

The Institute of Computing for Climate Science studies and supports the role of software e... >

cambridge-iccs.github.io and 7 more links

Subscribed

[Home](#) [Videos](#) [Podcasts](#) **[Playlists](#)** [Community](#)

Created playlists

Sort by

12 videos

Cambridge University RSE Seminars

[View full playlist](#)

1 episode

Working inside the Institute of Computing for Climate Science

[View full podcast](#)

1 video

Training

[View full playlist](#)

3 videos

Presentations

[View full playlist](#)

2 videos

Who We Are

[View full playlist](#)

21 videos

ICCS Summer School 2023

[View full playlist](#)

37 videos

Climate Informatics 2023 Presentations

[View full playlist](#)

18 videos

Climate Informatics 2023 - Virtual Posters

[View full playlist](#)

18 videos

ICCS SUMMER SCHOOL 2022

[View full playlist](#)


13 videos

Cross-VESRI Journal Club Presents:

[View full playlist](#)



Virtual Earth System Research Institute (VESRI)



Using types to rule out bugs: *Python* perspective

Dominic Orchard



Institute of
Computing for
Climate Science

University of
Kent


Warmup!

$$1 + 1 = 2$$

"hello" + 1 = "hello1"



= "iello"



= "help"

??!

"hello" * 2 = "hellohello"



"hello" / 2 = ??? 🤔

Types communicate to us what
the computer can do

Learning objectives



- Understand key ideas behind **specification** and **verification**
- Understand some key **concepts** and **terminology** behind types
- Learn about the **mypy tool** for typing in Python
- Develop ability to use types to **avoid bugs** and **write code more effectively**

Validation

Did we implement the right equations?

VS

Verification

Did we implement the equations right?

Challenge

Telling these two apart when results are not as expected

Terminology: what does “*verified*” mean?

Verification wrt. a specification

i.e. `check(implementation, specification)`

∴ validation is verification

where specification $\triangleq \approx$ observation

*The value of a specification is what we make of it;
it depends on our goals and values*

How *much* verification?

- Lots of verification techniques out there:
 - Testing
 - Type systems
 - Deductive verification
 - Static analysis
 - Interactive theorem provers
 - Modelling and model checking
- How much to use?

How *much* verification?

“Lightweight Formal Methods” (Jackson, Wing, 1996)

"...except in safety-critical work, the **cost of full verification is prohibitive and early detection of errors is a more realistic goal.**

There can be no point embarking on the construction of a specification until it is known exactly **what the specification is for; which risks it is intended to mitigate;** and in which respects it will inevitably prove inadequate."

Today we will mitigate against data errors

A helpful model: types as sets

- Set defined by its elements (*data*), e.g.,
 - ▶ \mathbb{N} - Natural numbers $\{1, 2, \dots\}$ or $\{0, 1, 2, \dots\}$ depending who you ask!
 - ▶ \mathbb{Z} - Integers $\{\dots, -2, -1, 0, 1, 2, \dots\}$
 - ▶ \mathbb{R} - Real numbers $\{\dots, 0, 0.1, 0.11, \dots, e, \dots, \pi, \dots\}$
- Sets of pairs of A and B written $A \times B$ (Cartesian product)
 - ▶ e.g., $\mathbb{N} \times \mathbb{N} = \{(1,1), (1,2), (2,1), (2,2), \dots\}$
- Functions from A to B written $A \rightarrow B$
 - ▶ e.g. $\text{abs} : \mathbb{Z} \rightarrow \mathbb{N}_0$
 - ▶ $\sqrt{} : \mathbb{R}_{\geq 0} \rightarrow \mathbb{R} \times \mathbb{R}$
 - ▶ $+$: $\mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}$

Notational convention
expression : *type*

type signature / specification



Static typing

vs.

Dynamic typing




- Compiler first does **type checking**
- **Ill-typed** programs rejected
 - ▶ Intrinsic typing - *Ill-typed programs have no meaning (cannot be run)*
- **Well-typed** programs compiled, using types for optimisation
- Today: **we will use mypy to add static typing to Python**

- No pre-run checks
- Data stored with type information
- Operations check type information
- Errors occur “as it happens”

Without types?

- E.g., in *assembly languages*



- *One type = bits!*
- **Everything works** / operations may not do what you want
- *Developer has to track meaning themselves*

Types eliminate a class of bugs

*“Well typed programs cannot go wrong”
(Milner, 1978)*

(For some definition of wrong!)



mypy

An optional gradual, static type system for Python

- Gradually convert from dynamic to static typing
- Optional \implies *extrinsic typing* - ill-typed programs can still run (have meaning)
- Maths-like *type signatures*

```
flag : bool = True
```

```
def plus(x : int, y : int) -> int:  
    return x + y
```

Getting mypy (if you want to 'code along')




```
python3 -m pip install mypy
```

Or possibly:

```
python -m pip install mypy
```



You may want to use the
vscode extension





Mypy/Python primitive types

int

bool

float

str

None

(no result type)

Any

(fall-back, anything)

```
def greet(name: str) -> None:  
    print("Hi " + name)
```



Type constructors

Like *type functions*: create a type from other types

- For some type `t` then `list[t]` captures lists of elements (all) of type `t`

```
def greet_all(names: list[str]) -> None:
    for name in names:
        print('Hello ' + name)
```

cf. $A \times B$ notation on sets

- `tuple[t1, t2, ...]` captures tuples with elements of type `t1`, `t2`, etc.

```
some_data : tuple[int, bool, str] = (42, True, "Manchester")
```



Type constructors

Like *type functions*: create a type from other types

- `dict[k, v]` captures records/dictionaries of key `k` and value `v` type:

```
x: dict[str, float] = {"field1": 2.0, "field2": 3.0}
```

- `t1 | t2` captures either type `t1` or `t2` type (Python 3.10 `<= Union[t1, t2]`)

```
def myDiv(x : float, y : float) -> (float | None):  
    if y != 0: return x / y  
    else:      return None
```



Type constructors and classes

Every class name *is* a type constructor

e.g.,

```
class Complex:
    def __init__(self, realpart, imagpart):
        self.r = realpart
        self.i = imagpart
```

```
h : Complex = Complex(3.0, -4.5)
```



Querying mypy

Ask mypy what it thinks the type is:

```
reveal_type(expression)
```

If you need to run too, hide `reveal_type` from runtime:

```
from typing import TYPE_CHECKING

if TYPE_CHECKING:
    reveal_type(d1)
```

Subtyping

- In theory literature, A is a subtype of B written $A :< B$ (*think subsets*)



- Example: `list[t]` is a “subtype” of `Iterable[t]`

- Can pass arguments of a subtype to a function

$$\frac{x : A \quad f : B \rightarrow C \quad A :< B}{f(x) : C}$$

e.g.

```
def greet_all(names: Iterable[str]) -> None:
    for name in names:
        print('Hello ' + name)
```

```
names = ["Alice", "Brijesh", "Chenxi"]
greet_all(names) # Ok!
```




Polymorphism

(Also known as *generic types*)

- Consider the function

```
def first(xs : list[str]) -> str:  
    return xs[0]
```

- What if we want to use it with list[int] too?

```
def first_int(XS : list[int]) -> int:  
    return xs[0]
```

- **Duplication bad for maintenance and understanding**



Polymorphism

(Also known as *generic types*)

- **Solution:** generalise to any element type T

```
T = TypeVar('T')
```

```
def first(xs : list[type[T]]) -> type[T]:  
    return xs[0]
```


- (Note: requires an import)

```
from typing import TypeVar, Generic
```

“Free theorems” follow from polymorphic types

- Consider `def someFun(XS : list[type[T]]) -> type[T]`
- “Universality” of `T` tells us we cannot inspect or compute with the `T` elements
- Implies the following (“*naturality*”) property:

`someFun(list(map(f, x))) = f(someFun(x))`



Note the right expression applies `f` once, the left applies it `len(x)` times.

\therefore Optimisation!

Function types

e.g., for typing higher-order functions

For a function with n-inputs (n-ary) A_1 to A_n and return type B :

```
Callable[[A1, ..., An], B]
```

cf. $A \rightarrow B$ notation on sets
or $(A_1 \times \dots \times A_n) \rightarrow B$

e.g.,

```
from typing import Callable
S = TypeVar('S')
T = TypeVar('T')
def memo(f : Callable[[S], T], x : S) -> tuple[S,T]:
    return (x, f(x))
```

Escape hatch!

- A type checker T is complete if, for all programs P then $T(P)$ is true
- Most type checkers are *incomplete* \implies **some valid programs rejected**
- Python has an escape hatch:

```
borked = 0 / "hello" # type: ignore
```

Does not raise a type checking error (**though it clearly should**)

mypy and NumPy

Types for external libraries

Can use the class names already for numpy, e.g.,

```
import numpy as np
myArray : np.ndarray = np.ndarray(shape=(2,2), dtype=float)
```

mypy and NumPy

Types for external libraries

```
import numpy.typing as npt
```

provides

- `ArrayLike` - objects that can be converted to arrays
- `DTypeLike` - objects that can be converted to dtypes
- `NDArray[T]` - numpy arrays of T values

Needs local config, e.g., via `mypy.ini`

```
[mypy]  
plugins = numpy.typing.mypy_plugin
```

mypy and NumPy

Types for external libraries

e.g.

```
import numpy as np
import numpy.typing as npt
```

```
def as_array(a: npt.ArrayLike) -> np.ndarray:
    return np.array(a)
```

```
def scale_array(a: float, arr: npt.NDArray[np.float64]) -> npt.NDArray[np.float64]:
    return a*arr
```


Coming into land.... What did we learn?



- Understand key ideas behind specification and verification
- Understand some key concepts and terminology behind types
 - “Sets” model
 - Static vs dynamic
 - Extrinsic vs intrinsic
 - Subtyping
 - Polymorphism

Coming into land.... What did we learn?



- Learn about the mypy tool for typing in Python
 - mypy gives us extrinsic static typing
- Develop ability to use types to avoid bugs and write code more effectively
 - Go and practice on your own (see worksheet!)
 - Start using in projects

Worksheet

<https://dorchar.d.github.io/types-tutorial/mypy-worksheet.pdf>



Thanks- and happy typing!



<https://iccs.cam.ac.uk>



<https://dorchar.d.github.io>



types.pl/@dorchar



@dorchar

VScode mypy plugin woes?

No errors appear

- Check mypy
- Explicitly set path to mypy

```
% which mypy  
/opt/homebrew/bin/mypy
```

- Then edit settings.json, adding, e.g.:

```
"mypy-type-checker.path": ["/opt/homebrew/bin/mypy"]
```